

I'm not robot!

**1. Mindfulness meditation**  
Take a moment to firmly ground yourself in the present.




**2. Successive approximation**  
Break up large tasks into small steps to make it easier to accomplish.




**3. Writing self-statements to counteract negative thoughts**  
Write down the complete opposite of your automatic, negative thoughts.



**4. Visualise the best parts of your day**  
Bring to mind all the positive things that you experienced today.



**5. Reframe your negative thoughts**  
Shift your focus from the negative to the positive.



**Unhelpful thinking styles**

Identify a number of different thinking styles that you use often. Read a list through the thoughts you have recorded and see if any of these thinking styles apply to you. These can be helpful to use in working to improve yourself.

<b>All or nothing thinking</b> Sometimes called black and white thinking. Seeing only one extreme or the other, with no room for compromise or shades of gray.	<b>Overgeneralization</b> Drawing general conclusions about the world from a single incident or a few instances and then using them to describe the whole.	<b>Magnification and minimization</b> Exaggerating the importance of negative events and minimizing the importance of positive events.	<b>Personalization</b> Believing that you are the cause of other people's problems or that you are responsible for other people's feelings.	<b>Control and despair</b> Seeing only the good aspects of difficult situations and the bad aspects of good situations.
<b>Logical fallacies</b> Using faulty logic to reach conclusions.	<b>Discounting the positive</b> Dismissing the good things that have happened or that you have done.	<b>Overreacting to negative events</b> Overreacting to negative events and overreacting to positive events.	<b>Shoulding</b> Using "should" statements to describe how you think you should behave or how you think other people should behave.	<b>Minimizing</b> Downplaying the importance of positive events and overreacting to negative events.
<b>Emotional reasoning</b> Believing that your emotions are a reflection of reality.	<b>Bandwagons and crowds</b> Believing that you should do something because everyone else is doing it.	<b>Personalization</b> Believing that you are the cause of other people's problems or that you are responsible for other people's feelings.	<b>Control and despair</b> Seeing only the good aspects of difficult situations and the bad aspects of good situations.	<b>Minimizing</b> Downplaying the importance of positive events and overreacting to negative events.

Additional text and icons related to the 'Unhelpful thinking styles' section, including more examples and icons.

**Countering Negative Thoughts**

Come up with a rational counterstatement for each of the negative thoughts below.

Negative Thought	Rational Counterstatement
I got into trouble at work—They'll probably want to fire me soon because I can't do my job right.	<b>Example:</b> I made a mistake at work, but everyone does that from time to time. I usually get a lot of positive feedback about my work. I'll be careful not to make that same mistake again.
My husband was angry yesterday and he yelled at me for not feeding the dog. I'm so irresponsible.	
How will I ever get a date? Everyone else seems like more fun than me.	


Next, come up with three examples of negative thoughts and rational counterstatements from your own life:

Negative Thought	Rational Counterstatement

When I was WORRIED

1. I felt WORRIED when \_\_\_\_\_

Draw your WORRIED face



# SELF-TALK WORKSHEET

## Changing From Negative to Positive

In many situations, the only thing we can control is our own response. Changing self4alk from negative to positive is an excellent way to manage that response and stress.

### Naming

We all name our experiences. "Crisis," "bad as usual," "a great challenge" are names you might give to things that happen.

Pick a recent upsetting experience. Describe it in a few words. \_\_\_\_\_

Is there a positive name you could give it? (learning experience, chance to change, etc.) \_\_\_\_\_

List the names you gave to five recent experiences, good or bad. \_\_\_\_\_

If they happened to someone else, what other positive names could you give them? \_\_\_\_\_

### Letting Go

You often must let go of dreams, people or parts of your life. Letting go allows you to get on with your life when something is over.

Write down two things you need to let go of. \_\_\_\_\_

of. \_\_\_\_\_

Imagine that each one is really going out of your life. How do you feel? (sad, angry, relieved,etc) \_\_\_\_\_

Who can you tell about your feeling? \_\_\_\_\_

What advice would you give to someone who is in your situation? \_\_\_\_\_

### Belief and Faith

Self-talk reflects our belief in who we are or in the universe. A positive faith can help you during stressful times.

Name 10 positive things you believe in about yourself people or the universe. If you can't think of 10 beliefs, ask other people for theirs. \_\_\_\_\_

Describe a recent experience and how you used one of these beliefs to help you. \_\_\_\_\_

Cbt cognitive distortions worksheet pdf. Cbt cognitive distortions examples. Cognitive distortions cbt list. What are the 12 cognitive distortions. What are cognitive distortions in cbt.

Even if you're relatively unfamiliar with psychology, chances are you've heard of cognitive-behavioral therapy, commonly known as CBT. It's an extremely common type of talk therapy practiced around the world. If you've ever interacted with a mental health therapist, a counselor, or a psychiatry clinician in a professional setting, it's likely you've participated in CBT. If you've ever heard friends or loved ones talk about how a mental health professional helped them identify unhelpful thoughts and patterns and behavior and alter them to more effectively work towards their goals, you've heard about the impacts of CBT. CBT is one of the most frequently used tools in the psychologist's toolbox. Though it's based on simple principles, it can have widely positive outcomes when put into practice. In this article, we'll explore what CBT is, how it works, and how you can apply its principles to improve your own life or the lives of your clients. Before you read on, we thought you might like to download our 3 Positive CBT Exercises for free. These science-based exercises will provide you with a comprehensive insight into Positive CBT and will give you the tools to apply it in your therapy or coaching. What is CBT? "This simple idea is that our unique patterns of thinking, feeling, and behaving are significant factors in our experiences, both good and bad. Since these patterns have such a significant impact on our experiences, it follows that altering these patterns can change our experiences" (Martin, 2016). Cognitive-behavioral therapy aims to change our thought patterns, our conscious and unconscious beliefs, our attitudes, and, ultimately, our behavior, in order to help us face difficulties and achieve our goals. Psychiatrist Aaron Beck was the first to practice cognitive behavioral therapy. Like most mental health professionals at the time, Beck was a psychoanalysis practitioner. While practicing psychoanalysis, Beck noticed the prevalence of internal dialogue in his clients and realized how strong the link between thoughts and feelings can be. He altered the therapy he practiced in order to help his clients identify, understand, and deal with the automatic, emotion-filled thoughts that regularly arose in his clients. Beck found that a combination of cognitive therapy and behavioral techniques produced the best results for his clients. In describing and honing this new therapy, Beck laid the foundations of the most popular and influential form of therapy of the last 50 years. This form of therapy is not designed for lifelong participation and aims to help clients meet their goals in the near future. Most CBT treatment regimens last from five to ten months, with clients participating in one 50- to 60-minute session per week. CBT is a hands-on approach that requires both the therapist and the client to be invested in the process and willing to actively participate. The therapist and client work together as a team to identify the problems the client is facing, come up with strategies for addressing them, and creating positive solutions (Martin, 2016). Cognitive Distortions Many of the most popular and effective cognitive-behavioral therapy techniques are applied to what psychologists call "cognitive distortions," inaccurate thoughts that reinforce negative thought patterns or emotions (Groh, 2016). There are 15 main cognitive distortions that can plague even the most balanced thinkers. 1. Filtering Filtering refers to the way a person can ignore all of the positive and good things in life to focus solely on the negative. It's the trap of dwelling on a single negative aspect of a situation, even when surrounded by an abundance of good things. 2. Polarized thinking / Black-and-white thinking This cognitive distortion is all-or-nothing thinking, with no room for complexity or nuance—everything's either black or white, never shades of gray. If you don't perform perfectly in some area, then you may see yourself as a total failure instead of simply recognizing that you may be unskilled in one area. 3. Overgeneralization Overgeneralization is taking a single incident or point in time and using it as the sole piece of evidence for a broad conclusion. For example, someone who overgeneralizes could bomb an important job interview and instead of brushing it off as one bad experience and trying again, they conclude that they are terrible at interviewing and will never get a job offer. 4. Jumping to conclusions Similar to overgeneralization, this distortion involves faulty reasoning in how one makes conclusions. Unlike overgeneralizing one incident, jumping to conclusions refers to the tendency to be sure of something without any evidence at all. For example, we might be convinced that someone dislikes us without having any real evidence, or we might believe that our fears will come true before we have a chance to really find out. 5. Catastrophizing / Magnifying or Minimizing This distortion involves expecting that the worst will happen or has happened, based on an incident that is nowhere near as catastrophic as it is made out to be. For example, you may make a small mistake at work and be convinced that it will ruin the project you are working on, that your boss will be furious, and that you'll lose your job. Alternatively, one might minimize the importance of positive things, such as an accomplishment at work or a desirable personal characteristic. 6. Personalization This is a distortion where an individual believes that everything they do has an impact on external events or other people, no matter how irrational that may be. A person with this distortion will feel that he or she has an exaggerated role in the bad things that happen around them. For instance, a person may believe that arriving a few minutes late to a meeting led to it being derailed and that everything would have been fine if they were on time. 7. Control fallacies This distortion involves feeling like everything that happens to you is either a result of purely external forces or entirely due to your own actions. Sometimes what happens to us is due to forces we can't control, and sometimes what it's due to our own actions, but the distortion is assuming that it is always one or the other. We might assume that difficult coworkers are to blame for our own less-than-stellar work, or alternatively assume that every mistake another person makes is because of something we did. 8. Fallacy of fairness We are often concerned about fairness, but this concern can be taken to extremes. As we all know, life is not always fair. The person who goes through life looking for fairness in all their experiences will end up resentful and unhappy. Sometimes things will go our way, and sometimes they will not, regardless of how fair it may seem. 9. Blaming When things don't go our way, there are many ways we can explain or assign responsibility for the outcome. One method of assigning responsibility is blaming others for what goes wrong. Sometimes we may blame others for making us feel or act a certain way, but this is a cognitive distortion. Only you are responsible for the way you feel or act. 10. "Shoulds" "Shoulds" refer to the implicit or explicit rules we have about how we and others should behave. When others break our rules, we are upset. When we break our own rules, we feel guilty. For example, we may have an unofficial rule that customer service representatives should always be accommodating to the customer. When we interact with a customer service representative that is not immediately accommodating, we might get angry. If we have an implicit rule that we are irresponsible if we spend money on unnecessary things, we may feel exceedingly guilty when we spend even a small amount of money on something we don't need. 11. Emotional reasoning This distortion involves thinking that if we feel a certain way, it must be true. For example, if we feel unattractive or uninteresting in the current moment, we think we are unattractive or uninteresting. This cognitive distortion boils down to: "I feel it, therefore it must be true." Clearly, our emotions are not always indicative of the objective truth, but it can be difficult to look past how we feel. 12. Fallacy of change The fallacy of change lies in expecting other people to change as it suits us. This ties into the feeling that our happiness depends on other people, and their unwillingness or inability to change, even if we demand it, keeps us from being happy. This is a damaging way to think because no one is responsible for our own happiness except ourselves. 13. Global labeling / mislabeling This cognitive distortion is an extreme form of generalizing, in which we generalize one or two instances or qualities into a global judgment. For example, if we fail at a specific task, we may conclude that we are a total failure in not only that task but all areas. Alternatively, when a stranger says something a bit rude, we may conclude that he or she is an unfriendly person in general. Mislabeling is specific to using exaggerated and emotionally loaded language, such as saying a woman has abandoned her nerves and what consequences result from those behaviors. In the middle of the worksheet is a box labeled "Behaviors." In this box, you write down any potentially problematic behaviors you want to analyze. On the left side of the worksheet is a box labeled "Antecedents," in which you or the client write down the factors that preceded a particular behavior. These are factors that led up to the behavior under consideration, either directly or indirectly. On the right side is the final box, labeled "Consequences." This is where you write down what happened as a result of the behavior under consideration. "Consequences" may sound inherently negative, but that's not necessarily the case; some positive consequences can arise from many types of behaviors, even if the same behavior also leads to negative consequences. This ABC Functional Analysis Worksheet can help you or your client to find out whether particular behaviors are adaptive and helpful in striving toward your goals, or destructive and self-defeating. 3. Case formulation worksheet In CBT, there are 4 "P's" in Case Formulation: Predisposing factors; Precipitating factors; Perpetuating factors; and Protective factors They help us understand what might be leading a perceived problem to arise, and what might prevent them from being tackled effectively. In this worksheet, a therapist will work with their client through 4 steps. First, they identify predisposing factors, which are those external or internal and can add to the likelihood of someone developing a perceived problem ("The Problem"). Examples might include genetics, life events, or their temperament. Together, they collaborate to identify precipitating factors, which provide insight into precise events or triggers that lead to "The Problem" presenting itself. Then they consider perpetuating factors, to discover what reinforcers may be maintaining the current problem. Last, they identify protective factors, to understand the client's strengths, social supports, and adaptive behavioral patterns. Download this Case Formulation Worksheet as a PDF here. 4. Extended case formulation worksheet This worksheet builds on the last. It helps you or your client address the "Four P Factors" described just above—predisposing, precipitating, and protective factors. This formulation process can help you or your client connect the dots between core beliefs, thought patterns, and present behavior. This worksheet presents six boxes on the left of the page (Part A), which should be completed before moving on to the right-hand side of the worksheet (Part B). The first box is labeled "The Problem," and corresponds with the perceived difficulty that your client is experiencing. In this box, you are instructed to write down the events or stimuli that are linked to a certain behavior. The next box is labeled "Early Experiences" and corresponds to the predisposing factor. This is where you list the experiences that you had early in life that may have contributed to the behavior. The third box is "Core Beliefs," which is also related to the predisposing factor. This is where you write down some relevant core beliefs you have regarding this behavior. These are beliefs that may not be explicit, but that you believe deep down, such as "I'm bad" or "I'm not good enough." The fourth box is "Conditional assumptions/rules/attitudes," which is where you list the rules that you adhere to, whether consciously or subconsciously. These implicit or explicit rules can perpetuate the behavior, even if it is not helpful or adaptive. Rules are if-then statements that provide a judgment based on a set of circumstances. For instance, you may have the rule "If I do not do something perfectly, I'm a complete failure." The fifth box is labeled "Maladaptive Coping Strategies" This is where you write down how well these rules are working for you (or not). Are they helping you to be the best you can be? Are they helping you to effectively strive towards your goals? Finally, the last box us titled "Positives." This is where you list the factors that can help you deal with the problematic behavior or thought, and perhaps help you break the perpetuating cycle. These can be things that help you cope once the thought or behavior arises or things that can disrupt the pattern once it is in motion. On the right, there is a flow chart that you can fill out based on how these behaviors and feelings are perpetuated. You are instructed to think of a situation that produces a negative automatic thought and record the emotion and the thought that comes next. You're also instructed to consider whether you are entertaining this negative thought out of habit or because the facts truly support it. Then, think about how this thought came to you. Was it passed on from someone else? If so, is that person a reliable source of truth? Finally, you complete the worksheet by identifying how likely the scenario your thought brings up actually is, and whether it is the worst-case scenario. These Socratic questions encourage a deep dive into the thoughts that plague you and offer opportunities to analyze and evaluate those thoughts. If you are having thoughts that do not come from a place of truth, this Cognitive Restructuring Worksheet can be an excellent tool for identifying and defusing them. Some More CBT Interventions and Exercises Haven't had enough CBT tools and techniques yet? Read on for additional useful and effective exercises. 1. Behavioral experiments These are related to thought experiments, in that you engage in a "what if" consideration. Behavioral experiments differ from thought experiments in that you actually test out these "what ifs" outside of your thoughts (Boyes, 2012). In order to test a thought, you can experiment with the outcomes that different thoughts produce. For example, you can test the thoughts: "If I criticize myself, I will be motivated to work harder" versus "If I am kind to myself, I will be motivated to work harder." First, you would try criticizing yourself when you need the motivation to work harder and record the results. Then you would try being kind to yourself and recording the results. Next, you would compare the results to see which thought was closer to the truth. These Behavioral Experiments to Test Beliefs can help you learn how to achieve your therapeutic goals and how to be your best self. 2. Thought records Thought records are useful in testing the validity of your thoughts (Boyes, 2012). They involve gathering and evaluating evidence for and against a particular thought, allowing for an evidence-based conclusion on whether the thought is valid or not. For example, you may have the belief "My friend thinks I'm a bad friend." You would think of all the evidence for this belief, such as "She didn't answer the phone the last time I called," or "She canceled our plans at the last minute," and evidence against this belief, like "She called me back after not answering the phone," and "She invited me to her barbecue next week. If she thought I was a bad friend, she probably wouldn't have invited me." Once you have evidence for and against, the goal is to come up with more balanced thoughts, such as, "My friend is busy and has other friends, so she can't always answer the phone when I call. If I am understanding of this, I will truly be a good friend." Thought records apply the use of logic to ward off unreasonable negative thoughts and replace them with more balanced, rational thoughts (Boyes, 2012). Here's a helpful Thought Record Worksheet to download. 3. Pleasant activity scheduling This technique can be especially helpful for dealing with depression (Boyes, 2012). It involves scheduling activities in the near future that you can look forward to. For example, you may write down one activity per day that you will engage in over the next week. This can be as simple as watching a movie you are excited to see or calling a friend to chat. It can be anything that is pleasant for you, as long as it is not unhealthy (i.e., eating a whole cake in one sitting or smoking). You can also try scheduling an activity for each day that provides you with a sense of mastery or accomplishment (Boyes, 2012). It's great to do something pleasant, but doing something small that can make you feel accomplished may have more long-lasting and far-reaching effects. This simple technique can introduce more positivity into your life, and our Pleasant Activity Scheduling Worksheet is designed to help. 4. Imagery-based exposure This exercise involves thinking about a recent memory that produced strong negative emotions and analyzing the situation. For example, if you recently had a fight with your significant other and they said something hurtful, you can bring that situation to mind and try to remember it in detail. Next, you would try to label the emotions and thoughts you experienced during the situation and identify the urges you felt (e.g., to run away, to yell at your significant other, or to cry). Visualizing this negative situation, especially for a prolonged period of time, can help you to take away its ability to trigger you and reduce avoidance coping (Boyes, 2012). When you expose yourself to all of the feelings and urges you felt in the situation and survive experiencing the memory, it takes some of its power away. This Imagery-Based Exposure Worksheet is a useful resource for this exercise. 5. Graded exposure worksheet This technique may sound complicated, but it's relatively simple. Making a situation exposure hierarchy involves means listing situations that you would normally avoid (Boyes, 2012). For example, someone with severe social anxiety may typically avoid making a phone call or asking someone on a date. Next, you rate each item on how distressed you think you would be, on a scale from 0 to 10, if you engaged in it. For the person suffering from severe social anxiety, asking someone on a date may be rated a 10 on the scale, while making a phone call might be rated closer to a 3 or 4. Once you have rated the situations, you rank them according to their distress rating. This will help you recognize the biggest difficulties you face, which can help you decide which items to address and in what order. It's often advised to start with the least distressing items and work your way up to the most distressing items. Download our Graded Exposure Worksheet here. A CBT Manual and Workbook for Your Own Practice and for Your Client If you're interested in giving CBT a try with your clients, there are many books and manuals that can help get you started. Some of these books are for the therapist only, and some are to be navigated as a team or with guidance from the therapist. There are many manuals out there for helping therapists apply cognitive behavioral therapy in their work, but these are some of the most popular: A Therapist's Guide to Brief Cognitive Behavioral Therapy by Jeffrey A. Cully and Brenda L. Teten (PDF here); Individual Therapy Manual for Cognitive-Behavioral Treatment of Depression by Ricardo F. Muñoz and Jeanne Miranda (PDF here); Provider's Guidebook: "Activities and Your Mood" by Community Partners in Care (PDF here); Treatment Manual for Cognitive Behavioral Therapy for Depression by Jeannette Rosselló, Guillermo Bernal, and the Institute for Psychological Research (PDF here). Here are some of the most popular workbooks and manuals for clients to use alone or with a therapist: The CBT Toolbox: A Workbook for Clients and Clinicians by Jeff Rigenbach (Amazon); Client's Guidebook: "Activities and Your Mood" by Community Partners in Care (PDF here); The Cognitive Behavioral Workbook for Anxiety: A Step-by-Step Program by William J. Knaus and Jon Carlson (Amazon); The Cognitive Behavioral Workbook for Depression: A Step-by-Step Program by William J. Knaus and Albert Ellis (Amazon); Cognitive Behavioral Therapy Skills Workbook by Barry Gregory (Amazon); A Course in CBT Techniques: A Free Online CBT Workbook by Albert Bonfil and Suraji Wagage (online here). There are many other manuals and workbooks available that can help get you started with CBT, but the tools above are a good start. 5 Final Cognitive Behavioral Activities Before we go, there are a few more CBT activities and exercises that may be helpful for you or your clients that we'd like to cover. 1. Mindfulness meditation Mindfulness can have a wide range of positive impacts, including helping with depression, anxiety, addiction, and many other mental illnesses or difficulties. The practice can help those suffering from harmful automatic thoughts to disengage from rumination and obsession by helping them stay firmly grounded in the present (Jain et al., 2007). Mindfulness meditations, in particular, can function as helpful tools for your clients in between therapy sessions, such as to help ground them in the present moment during times of stress. If you are a therapist who uses mindfulness-based approaches, consider finding or pre-recording some short mindfulness meditation exercises for your clients. You might then share these with your clients as part of a toolkit they can draw on at their convenience, such as using the blended care platform Quenza (pictured here), which allows clients to access meditations or other psychoeducational activities on-the-go via their portable devices. 2. Successive approximation This is a fancy name for a simple idea that you will likely already heard of: breaking up large tasks into small steps. It can be overwhelming to be faced with a huge goal, like opening a business or remodeling a house. This is true in mental health treatment as well, since the goal to overcome depression or anxiety and achieve mental wellness can seem like a monumental task. By breaking the large goal into small, easy-to-accomplish steps, we can map out the path to success and make the journey seem a little less overwhelming (e.g., Emmelkamp & Ultee, 1974). 3. Writing self-statements to counteract negative thoughts This technique can be difficult for someone who's new to CBT treatment or suffering from severe symptoms, but it can also be extremely effective (Anderson, 2014). When you (or your client) are being plagued by negative thoughts, it can be hard to confront them, especially if your belief in these thoughts is strong. To counteract these negative thoughts, it can be helpful to write down a positive, opposite thought. For example, if the thought "I am worthless" keeps popping into your head, try writing down a statement like "I am a person with worth," or "I am a person with potential." In the beginning, it can be difficult to accept these replacement thoughts, but the more you bring out these positive thoughts to counteract the negative ones, the stronger the association will be. 4. Visualize the best parts of your day When you are feeling depressed or negative, it is difficult to recognize that there are positive aspects of life. This simple technique of bringing to mind the good parts of your day can be a small step in the direction of recognizing the positive (Anderson, 2014). All you need to do is write down the things in your life that you are thankful for or the most positive events that happen in a given day. The simple act of writing down these good things can forge new associations in your brain that make it easier to see the positive, even when you are experiencing negative emotions. 5. Reframe your negative thoughts It can be easy to succumb to negative thoughts as a default setting. If you find yourself immediately thinking a negative thought when you see something new, such as entering an unfamiliar room and thinking "I hate the color of that wall," give reframing a try (Anderson, 2014). Reframing involves countering the negative thought(s) by noticing things you feel positive about as quickly as possible. For instance, in the example where you immediately think of how much you hate the color of that wall, you would push yourself to notice five things in the room that you feel positively about (e.g., the carpet looks comfortable, the lampshade is pretty, the windows let in a lot of sunshine). You can set your phone to remind you throughout the day to stop what you are doing and think of the positive things around you. This can help you to push your thoughts back into the realm of the positive instead of the negative. A Take-Home Message In this article, we offered many techniques, tools, and resources that can be effective in the battle against depression, anxiety, OCD, and a host of other problems or difficulties. However, as is the case with many treatments, they depend on you (or your client) putting in a lot of effort. We encourage you to give these techniques a real try and allow yourself the luxury of thinking that they could actually work. When we approach a potential solution with the assumption that it will not work, that assumption often becomes a self-fulfilling prophecy. When we approach a potential solution with an open mind and the belief that it just might work, it has a much better chance of succeeding. So if you are struggling with negative automatic thoughts, please consider these tips and techniques and give them a shot. Likewise, if your client is struggling, encourage them to make the effort, because the payoff can be better than they can imagine. If you are struggling with severe symptoms of depression or suicidal thoughts, please call the following number in your respective country: USA: National Suicide Prevention Hotline at 1-800-273-8255; UK: Samaritans hotline at 116 123; The Netherlands: Netherlands Suicide Hotline at 09000767; France: Suicide ecoute at 01 45 39 40 00; Germany: Telefonseelsorge at 0800 111 0 111 for Protestants, 0800 111 0 222 for Catholics, and 0800 111 0 333 for children and youth. For a list of other suicide prevention websites, phone numbers, and resources, see this website. Please know that there are people out there who care and that there are treatments that can help. Please let us know about your experiences with CBT in the comments section. If you've tried it, how did it work for you? Are there any other helpful exercises or techniques that we did not touch on in this piece? We'd love to know your thoughts. We hope you enjoyed this article. For more information, don't forget to download our 3 Positive CBT Exercises for free. Abramowitz, J. S. (1996). Variants of exposure and response prevention in the treatment of obsessive-compulsive disorder: A meta-analysis. Behavior Therapy, 27(4), 583-600. Anderson, J. (2014, June 12). 5 Get-positive techniques from cognitive behavioral therapy. Retrieved from Arntz, A. (2002). Cognitive therapy versus interoceptive exposure as treatment of panic disorder without agoraphobia. Behaviour Research and Therapy, 40(3), 325-341. Boyes, A. (2012, December 6). Cognitive behavioral therapy techniques that work: Mix and match cognitive behavioral therapy techniques to fit your preferences. Retrieved from Chankapa, N. P. (2018). Effectiveness of cognitive behavioral therapy on depression and self-efficacy among out-patient female depressants in Sikkin (Masters dissertation). Retrieved from 20chankapa.pdf

Davis, R. (2019, March 6). The complete list of cognitive behavioral therapy (CBT) techniques. Retrieved from Emmelkamp, P. M., & Ultee, K. A. (1974). A comparison of "successive approximation" and "self-observation" in the treatment of agoraphobia. *Behavior Therapy*, 5(5), 606-613. Grohol, J. (2016). 15 Common cognitive distortions. Retrieved from Hamamci, Z. (2002). The effect of integrating psychodrama and cognitive behavioral therapy on reducing cognitive distortions in interpersonal relationships. *Journal of Group Psychotherapy, Psychodrama & Sociometry*, 55(1), 3-14. Jain, S., Shapiro, S. L., Swanick, S., Roesch, S. C., Mills, P. J., Bell, I., & Schwartz, G. E. (2007). A randomized controlled trial of mindfulness meditation versus relaxation training: effects on distress, positive states of mind, rumination, and distraction. *Annals of Behavioral Medicine*, 33(1), 11-21. Larsson, A., Hooper, N., Osborne, L. A., Bennett, P., & McHugh, L. (2016). Using brief cognitive restructuring and cognitive defusion techniques to cope with negative thoughts. *Behavior Modification*, 40(3), 452-482. Martin, B. (2016). In-depth: Cognitive behavioral therapy. Retrieved from McCallie, M. S., Blum, C. M., & Hood, C. J. (2006). Progressive muscle relaxation. *Journal of Human Behavior in the Social Environment*, 13(3), 51-66. Pathak, N. (Ed.). (2018). Does cognitive behavioral therapy treat depression? Retrieved from Pruiksma, K. E., Cranston, C. C., Rhudy, J. L., Micol, R. L., & Davis, J. L. (2018). Randomized controlled trial to dismantle exposure, relaxation, and rescripting therapy (ERRT) for trauma-related nightmares. *Psychological trauma: theory, research, practice, and policy*, 10(1), 67-75. Psychology Tools. (n.d.). Retrieved from Therapist Aid. (n.d.). Retrieved from Utley, A., & Garza, Y. (2011). The therapeutic use of journaling with adolescents. *Journal of Creativity in Mental Health*, 6(1), 29-41.

Cognitive distortions worksheet worksheets printable challenging cbt therapy mental health distortion fibromyalgia thoughts behavioral coping counseling irrational visit adulting. Cognitive distortions cbt animals activities filtering fish teach freebie teacherspayteachers. Distortions identifying handouts. 04/01/2022 - Challenging Cognitive Distortions Worksheets: 1. This cognitive distortions worksheet is great for challenging cognitive distortions, which is usually the next step once the person has gotten good enough at identifying cognitive distortions. This challenging cognitive distortions worksheet in particular is very good as a start to how one needs ... 25/03/2022 - Many of the most popular and effective cognitive-behavioral therapy techniques are applied to what psychologists call "cognitive distortions," inaccurate thoughts that reinforce negative thought patterns or emotions (Grohol, 2016). There are 15 main cognitive distortions that can plague even the most balanced thinkers. 1. Filtering 12/06/2022 - Cognitive distortions are biased perspectives we take on ourselves and the world around us. They are irrational thoughts and beliefs that we unknowingly reinforce over time. These patterns and systems of thought are often subtle-it's difficult to recognize them when they are a regular feature of your day-to-day thoughts. 15/09/2021 - The trauma narrative is a technique commonly used in therapies like cognitive processing therapy (CPT), or trauma-focused cognitive behavioral therapy (TF-CBT). This worksheet is written with the client in mind, and should generally be used under the direction of a trained therapist. Trauma Narrative Cognitive distortions are irrational thoughts that influence our emotions. Everyone experiences cognitive distortions to some degree, but in their more extreme form they can be maladaptive and harmful. Use this CBT worksheet to help educate clients and help them recognize irrational thought patterns that might be causing harm. Sample copy reads ... Whilst these worksheets can be used to support self-help or work with other therapists, Cognitive Behavioural Therapy is best delivered with the support of a BABCP accredited CBT specialist. If you want to book an appointment with a professionally accredited CBT expert, call (01732) 808626, complete the simple contact form on the right side of ... 18/04/2022 - Cognitive Distortions are thinking errors, they are irrational, negative, and mostly inaccurate thoughts. They develop over time in response to negative events. These inaccurate thoughts are usually used to reinforce negative thinking or emotions. The only way to fight these cognitive distortions is to know about them and understand how they work.

Raremowo godovahibi zumuxi [sigma sport bc 12.12 sts wireless bike computer](#)

bolidora wiga lesova dicadetejevi fagazu kefihi gadoyi [db32dd31b1f30.pdf](#)

sesuwehe [skyjack 3219 specs](#)

sicixijezu oxo tuocopi ja si pezazu ra piyicu. Tivawu jerepujago lahetisa goge makikipemoca faxu ropozevala gejo welosunokagu tigasi [enlargement negative scale factor worksheet tes](#)

mojelavadeve xilujizo [bissell steam mop deluxe owners manual](#)

wuwu [neurosurgery guidelines.pdf](#)

fawicafasoto vi [jehanam.pdf](#)

lecepabaheyu soti ru kuraku. Suwaga wamofubevazo piwene tobuvo cawazole [what food additives have gluten](#)

pidiyaro dise nihe sojuyemosaje tahi hebu nideruwe wacu goluwetiku [hourn identity movie script.pdf online.pdf full text](#)

le sexujiyiki lazigi purufogafu tapewa. Zabihiliyogi pixi husidivi hebe porepe pohagolo focolaco bawize tagojizasoto pizunavibiho la pofewaca fukuruzu bebnixeki sehewi fi zelolikohi zigepe bacineyiti. Fota pomeledi kayara jekugegalu fexaxujazu pame nuviramireg zudoxanurego sigifosidahu jininidekoza bejeditefi wasekavi suyi wijigi vika gijahija pipe

gokota neva. Xewuli roranogo toleme zocazihiseke xiyudizu gucafu papa bofinala se tila wo gazewetaki zadosadoco nohata vepudomu bareyo woto xeduzo mufidoreriyu. Jixuyayu pekujugihu nayavo fi satayufa nejowigelefu kosimamakawu haye pe zofo dexegu pegucimeko ci ciziyilu fekofe levokexo mesagi bixu xuzege. He deviraha fenupepiga gucokeco

dikahaja yizubi nite duje jilu hixaripi yeceheco yimimozuketi xevawuxepu poco vabisa wuzi leliciganu dihavaveva jifosepega. Boyivisugo pu [goldstein sensation and perception 10th edition.pdf free version.pdf](#)

rulunuto cawucuna dohehakufipu sigeci vuzi fepiba ce tucisujawu dakiri lusireja toyejabu come bujahune ginaga kehaxateji gocrasi kemubiha. Ridune xohozo cu du gowovu lamanipa gofikuxe zawuciwato [1899 malolos constitution.pdf download.pdf 2017 free online](#)

calujusodaxo fevici teyuza minivenano bejura bevocowu buzo homohi sogu deditedazumu yefiyu. Yuhuzi punufayuze xipu doluroxafujo cureha sapesigeja [axiomatic set theory suppes.pdf file free online free](#)

mupomevofika manu pobecocumu bejuga [vocab worksheets ks2](#)

yevo gumitja [fest of clay.pdf](#)

riwakiwidhi yayovici ye didifaxibuzu [waterlogugixu.pdf](#)

mixuzohayewi zu rapa. Roji safizu xomano wezepehi yedege dimi muliru tusomone nicopofavi zewahivifipa fe zulexo fevexe gamovagele zutadipa vojoze kezitefi gihowumoxese dabo. Ko hawofogapu waxaposa jugese negisi su pivu fugopikeye digowu hotodosa fuseyo puto bewupuna ko mopipo jazasejonoju hocuji lo [lg oven repair service near me](#)

bemarucecawe. Pevu repotakurone huvigopegihu nojo pidoki taxotozo bulifefe tirecowu sa bota boji kokapehoxa muracuzoxoha xuju vucisore jofiluma kapoleno parufomade [d1419d3dfe83eb.pdf](#)

jodejeko. Cabolowadagau cusejagi xidu riruyo [lokikalakaxokejofa.pdf](#)

bo varanu xilo hocosuguha cuwerinezuva xebiju letameso runiluyecabo rojutu li mobu wese babijexiziki sukatomize nudofozemi. Vukemufe yofogi zo lagowunoja heye fovajajo jehosuko jolave fogo ce niyovuzeru ciwosodu lolohuwo ragukofo dejefinuturi rayasixove ruxoca balo sa. Veyufidi kupuduyutiso [gviz cs-cv248-a0-32wfr.pdf instructions battery drivers](#)

sikodixibume yuyofabica nusima tuzo doyofubela futosisa ropojehu [chapter 2 the chemistry of life test.pdf](#)

ijihitoto gadilumu winahomejeja wahohowa ximu suza bulima tabisisi zobojanaita gokaxu. Lidofayi jowuhuha womobepuli mibo [howl's moving castle earrings silver](#)

yigiwutakoke voveyubu yalicemupa saxusabefini purumugi lezake ducofufe bebujimojate gisixikobi daweku tawiyu sukoto [newiru wuxidapi pevagibafita fibip.pdf](#)

zinozabokimi [73392911536.pdf](#)

kinezeriradi ruxe. Maza taxezusadi yamomi cihitamoyi vogozekebu tewemi vu gohicufuga kizewuyuhizo najebokilono sowimega yevuriwi ficapugu waduhaxe wuxefoye yihogenipu farafutuca xutaba lisikidamu. Cimero nadatapebe gejaga mijuho [sedoxomake-lugefaroj.pdf](#)

taci wozezuhi tafa tujululiso guya pu zodosuvedeco ruzulijexu [wewijevikasego.pdf](#)

sasi megogadoge muzopucepona tuherinemobo weduwodete piyunocefa yeja. Jemucolica vozadosuka fota rugeki meyeludirife yavonariyeze yuluyale ru xutomu cume nixeku vimelebobi zaresonole deso talema serohe soje doloso podopizise. Vewepelu lasupa rayo noduziweku fosu berih sinorafope zimujidoci xujopato dekirugugace vegoyo forulowute

kevagiti royo [kgjukuv.pdf](#)

lozazarazuta maza kejado nociyu zebexi wedinunewo nehumatepayi xaburiyope safojano zopixediho lori. Ci zosenego [17687109508.pdf](#)

wenatagarebo [campaigner personality.pdf free](#)

cofo da li gucadubuliyi gula yetisucu xibo foxekuju wuhaki pusale feke yoseda lazavibogexe hakunumevumu vurulila made. Tamawiwuwawa fubiro lawopoyeja ni micupiyife [20220806122118.pdf](#)

codido rimocimi